

GRITT

EQUIPMENT SALES & LEASING

SNOW EQUIPMENT GUIDE 2026

MOVE MORE SNOW. FASTER. SMARTER.



**Snow Equipment for Commercial & Residential Use
Skidsteers, Wheel Loaders & Tractors
Blades, Pushers, Blowers, Baskets, Buckets & Spreaders**

www.grittequipment.com

Compact Skidsteer Hydraulic Snow Blades



Great for sidewalks & small alleyways

WIDTHS: 42" / 48" / 54" / 60"

HEIGHT: 20"

STANDARD FEATURES:

Spring Trip Mouldboard

Lateral Float

Adjustable Skid Shoes

Reversible Cutting Edge

Hydraulic Angle 30° Left & Right

Hoses & Couplers Included



Mini Skidsteer and Bobcat MT quick attach mounts

*Note: good fit for: Bobcat S70, ASV 25/30 and equivalent

Starting From: \$2795.00

Compact Skidsteer Snow Pushers



WIDTHS: 42" / 48" / 54" / 60"

HEIGHT: 20"

FEATURES:

Reversible Steel or Rubber Cutting Edge
Adjustable Skid Shoes

OPTIONAL EQUIPMENT:

Bolt on Back Drag
Galvanizing
Top Grill (see image above)



Mini Skidsteer,
Bobcat MT and
compact tractor
quick attach
mounts

Starting From: \$1325.00

Compact Skidsteer Snow Blowers



CUT HEIGHT: 24" WIDTHS: 46" & 54"

STANDARD FEATURES:

- 18" x 8" 4 Blade Fan
- 8-10 GPM Hyd. Motor
- Reversible Steel Cutting Edge
- Adjustable Skid Shoes
- Manual Chute Rotation
- Manual Deflector Adjustment
- Hoses and Couplers
- Shear Pin Protection on Auger

OPTIONAL EQUIPMENT:

- Hydraulic Chute Rotation with Hydraulic Deflector
- Galvanizing

**Note: Good fit for Bobcat S70, ASV 25/30 & Equivalent*

Starting From: \$4995.00

Skidsteer Snow Pushers – LIGHT DUTY



STANDARD FEATURES:

Adjustable AR400 Skid Shoes
Reversible Steel or Rubber Cutting Edge
Solid Steel Construction
Replaceable and Adjustable Quick
Attach Mount

HEIGHTS AVAILABLE: 24" & 30"

WIDTHS: 60" to 108"

OPTIONAL EQUIPMENT:

Back Drag w/ Bolt on Edge
Galvanizing
Top Grill (*see image above*)



****Note: Light duty pushers are great for personal snow removal and/or light commercial use***

**84" LD Snow Pusher(30" High) w/Back Drag, Top Grill , Gavlanized:
\$3995.00**

Skidsteer & Loader Snow Pushers – Commercial Grade



STANDARD FEATURES:

Reversible Steel or Rubber Cutting Edge

AR400 Adjustable Side Shoes

Spring Trip Cutting Edge

Heavy Duty Construction

AVAILABLE WIDTHS:

48" to 192"

AVAILABLE HEIGHTS:

24" – 48"

OPTIONAL EQUIPMENT:

Bolt on Back Drag

Galvanizing

Top Grill (*see image above*)

Available for all sizes of Wheel Loaders

The right tool for the right job – great for parking lot snow removal

***30" High x 28" Deep x 84" Wide, w/Back Drag , Grill & Galvanized:
\$4995.00**

End Wing Snow Blades – Skidsteers & Loaders



MARTATCH

STANDARD FEATURES:

Spring Trip Cutting Edge
Hydraulic Angle Blade and Side Wings
3/4" x 6" AR400 Cutting Edge on Blade
5/8" AR400 Skid Plates on End Wings
3/8" End Wings & Gussets
Hydraulic Hoses and Couplers
Cross Over Protection Relief
on all 4 Cylinders

OPTIONAL EQUIPMENT:

12" Top Grill (*as shown above*)
Side Markets & Reflectors
Soft Ride Accumulator

AVAILABLE SIZES:

30" High x 84"/96"/108" Widths
34" High x 96"/108"/120"/144" Widths
(Add 5 feet for total width)

Flexibility at its Finest

Contact for Pricing

Hydraulic Skidsteer Snow Blowers – Regular Duty



GALVANIZING AVAILABLE



STANDARD FEATURES:

- Single Auger
- Fan protected with bypass relief
- Auger protected by Shear Pin
- Reversible steel cutting edge
- Adjustable Side Skid Shoes
- Hydraulic Chute Rotation and Deflector Adjustment (controlled from in cab without stopping blower)

Assembled with the best fit motor to match your machine hydraulics



MID-SIZE SKIDSTEERS
Widths: 60" / 66"
Cutting Height: 24"
Fan: 26" / Auger 16"
Starting From: \$8995.00

LARGE SKIDSTEERS
Widths: 72" / 78" / 84" / 96"
Cutting Height: 32"
Fan: 30" / Auger 20"
Starting From: \$9695.00

Made in Canada – Contact for Pricing

Hydraulic Skidsteer Snow Blowers – Industrial Grade



HITCHDOC®

STANDARD FEATURES:

Auger with 2-1/4" x 1/4" ribbon flighting

Tiger Teeth laced Auger

Hydraulic Spout Deflector

270° hydraulic rotary spout, 7" opening

High Strength Corner Bracing

Heavy Duty, Polyurethane, Idler wheels

1/4" End Plates

****Fan and Auger protected by hydraulic bypass relief – NO SHEAR PINS****

AVAILABLE SIZES:

Widths: 72" & 84"

Cutting Height: 30"

Fan: 22" x 4 Blade

Auger: 16"

Low Flow & High Flow Options

Starting From: \$16,000.00

(shipping priced on case by case basis)

These blowers are built with the Commercial User in mind, who value uptime. No extra downtime replacing shear pins!

Made in the USA – Contact for Pricing

High Flow Hydraulic Snow Blowers – Compact Loaders

Available for Backhoes!



HITCHDOC®

STANDARD FEATURES:

7 gauge steel fan housing, ½" end plates
Tiger Teeth laced Auger
270° hydraulic rotary spout, hydraulic deflector
High Strength Corner Bracing
High strength, polyurethane idler wheels
45° hydraulic, rotating fan housing for left or right side discharging

DETAILS

20" Auger Diameter
36.5" Cut Height
68" Discharge Height
Flow Required: 25-40 GPM @ 4000 PSI
Requires Hydrostatic Transmission
Optional Telescoping Truck Loader Spout

84" Width

(Optional Bolt on Wing Kit for 96" Width)

Independent Fan and Auger High Pressure Relief – NO SHEAR PINS!

Contact for Pricing

Large Triple Auger PTO Blowers – 200-300 HP Tractors



Shown on a JCB FastTrac with optional telescoping, truck loading chute

HITCHDOC®

STANDARD FEATURES:

Shear Bolt Protection
Tiger Teeth laced Auger
High Strength Corner Bracing
Replaceable High Strength Cutting Edge
Hitch Stand / #80 HD Chain
Adjustable Skid Shoes
4-Bolt, 2" bearings on 1-1/2" auger shaft
270° Hydraulic Spout with 13" opening

108" Width

DETAILS

42" x 6 Blade Fan (12" Fan Depth)
59" Cut Height
Auger: 3 x 16"
3PH Category: 3 or 4
Hydraulic Deflector
Hydraulic Spout

OPTIONAL FEATURES:

Telescoping Truck Loading Spout
Left Hand Gearbox for Front Mount

***Commercial Users - load tandem trucks
in 3 minutes and travel site to site
quicker, with this set up!***

Contact for Pricing & Videos of this blower in Action!

High Flow Hydraulic Snow Blowers for Wheel Loaders

108" Width



STANDARD FEATURES:

- All hydraulic fan, auger, truck loading chute
- Independent Fan & Auger high pressure relief**
– No shear pins or gearbox
- Performance Valve to maintain fan speed
- Switch between side discharge or truck loading spout
- 270° Hydraulic Rotary Chute with hydraulic deflector
- ¼" Blower Shell with ½" End Plates
- Tiger Teeth laced Dual Augers

DETAILS

- 32" x 5 Blade Fan
- 45" Cut Height
- Auger: 2 x 16"

Requirements:

- Hydrostatic Transmission
- 40-50 GPM @ min. 4000 PSI
- Creep Function

*Some Compatible Wheel Loaders:
CAT 924/926/930/938, Volvo L50,*

Komatsu 320, Doosan DL200, Liebherr L538/L546

Contact for Pricing & Videos of this blower in Action!

PTO Inverted Pull Type Snow Blowers

New Model



TIRED OF TURNING BACKWARDS TO CLEAR SNOW? THE HYBRID PULL TYPE BLOWER ALLOWS YOU TO FACE FORWARD AND STILL GET CLOSE TO OBJECTS/WALLS!

STANDARD FEATURES:

Hydraulic Chute Rotation
Skid Shoes
Reversible Cutting Edge
PTO Shaft
Choice of Colour

OPTIONAL FEATURES:

Manual Chute Rotation
Hydraulic Deflector Adjustment
Galvanizing

AVAILABLE MODELS

54" Width (22" Fan, 14" Auger)
60" Width (22" Fan, 14" Auger)
68" Width (22" Fan, 14" Auger)
72" Width (26" Fan, 16" Auger)
78" Width (26" Fan, 16" Auger)
84" Width (26" Fan, 16" Auger)
96" Width (26" Fan, 16" Auger)

78" Blower w/Hydraulic Chute Rotation: from \$7595.00

Single Auger 3PH Snow Blowers



STANDARD FEATURES:

Hydraulic Chute Rotation
Skid Shoes
Reversible Cutting Edge
Hoses and Couplers
Choice of Colour

OPTIONAL FEATURES:

Manual Chute Rotation
Hydraulic Deflector Adjustment
Galvanizing

AVAILABLE MODELS

46" Width (18" Fan, 16" Auger, 22" Cut Height)
54" Width (22" Fan, 16" Auger, 27" Cut Height)
60" Width (22" Fan, 16" Auger, 27" Cut Height)
68" Width (22" Fan, 16" Auger, 27" Cut Height)
72" Width (26" Fan, 22" Auger, 32" Cut Height)
78" Width (27" Fan, 20" Auger, 34" Cut Height)
84" Width (27" Fan, 20" Auger, 34" Cut Height)
96" Width (30" Fan, 20" Auger, 36" Cut Height)
108" Width (30" Fan, 20" Auger, 36" Cut Height)

72" Blower w/Hydraulic Chute Rotation: from \$6695.00

Double Auger 3PH Snow Blowers



STANDARD FEATURES:

Hydraulic Chute Rotation
Skid Shoes
Reversible Cutting Edge
Hoses and Couplers
Choice of Colour

AVAILABLE MODELS

84" Width (30" Fan, 2x16" Auger, 41" Cut Height)
96" Width (32" Fan, 2x16" Auger, 41" Cut Height)
109" Width (32" Fan, 2x16" Auger, 41" Cut Height)
120" Width (32" Fan, 2x16" Auger, 41" Cut Height)

OPTIONAL FEATURES:

Manual Chute Rotation
Hydraulic Deflector Adjustment
Galvanizing

96" Blower w/Hydraulic Chute Rotation: from \$8995.00

Skidsteer & Loader Snow Baskets



Forklift for
Scale

Loader
Snow Basket



STANDARD FEATURES:

Designed for increased visibility
& Strength

Light Weight

Available for skidsteers ,
Loaders and tractors

OPTIONAL FEATURES:

12" Top Grill (see image above)

Bolt on Cutting Edge

HIGH VOLUME MODELS

30" DEEP X 36" HIGH

Widths: 72" / 84" / 96" / 108"

EXTRA LARGE MODELS

36" DEEP X 48" HIGH

Widths: 72" / 84" / 96" / 108"

Contact for GREAT Pricing on these buckets!

Skidsteer & Loader Snow Buckets



STANDARD FEATURES:

Designed for increased visibility
Available for skidsteers , Loaders
and tractors

12" Grill Opening in Back

OPTIONAL FEATURES:

12" Top Grill

Bolt on Cutting Edge



WIDTHS AVAILABLE

84" / 90" / 96" / 102" / 108" / 120"

REGULAR AND HEAVY DUTY MODELS

Contact for Pricing

Skidsteer Salt/Sand Spreader



**GALVANIZING
AVAILABLE!**

STANDARD FEATURES:

Hydraulic Drive
Hoses and Couplers
Adjustable Material Flow
8-60 feet Spread
18 cu. Ft. (2/3 Yard) capacity
Weight: 740 lbs

OPTIONAL FEATURES:

Galvanizing
Side Walk Kit

**AVAILABLE FOR COMPACTS,
SKIDSTEERS, AND LOADERS**



Starting from: \$4400.00

GRITT

EQUIPMENT SALES & LEASING

CONTACT FOR PRICING & AVAILABILITY



PHONE: 905-904-0937

EMAIL: steve@grittequipment.com

www.grittequipment.com

Port Perry, Ontario